




Instrument status confirmation form

Customer's name		Name of the instrument		Quantity	1Single
Serial number	Project	Specifications			
1.	Working voltage	DC12V..			
Two.	Vehicle speed	Liquid crystal display,35 HZ.Right60 KM/H.			
3.	Rotation speed	Liquid crystal display,166 Hz.Right10 x 1000r/min.			
Four.	Fuel oil	Liquid crystal display,And Spot98Ω , FSpot8Ω .			
5.	Water temperature table	Liquid crystal display,557Ω .Right 60 Degree,196Ω .Right 90 Degree,136Ω .Right 100 Degree, 80.6Ω .Right 120 Degree. The water temperature exceeds 100 The number flashes in seconds.			
6.	Button	<p>Press the left button briefly to switch the total sizing.</p> <p>In the counter state, press the right button for a long time.Three.Seconds, the small count is zero.</p> <p>Long press the left button, The speed of the car flashes, short press the right button to switch, and then short press the left button to protect.</p> <p>Deposit and exit.</p>			
7.	LCD backlight	LCD backlight 7 Color, short press the right button to switch, the order is.Red, purple, yellow/Green, White, blue, green, sky blue, factory default red.			
Eight.	Sensor				

<p>Nine.</p>	 <p>端子 DJ621-E2.8*0.5 塑料件 DJ7091A-2.8-21</p>	<p>Light blue: turn right yellow/Black: speed signal</p> <p>Red: The positive pole of a battery Blue: high light Green/White: Water temperature Green:Negative(-) Orange: turn left Blue/White: Fuel Black:Positive electrode of electric door lock</p>	
<p>10.</p>	 <p>端子 DJ611-2.8*0.5 塑料件 DJ7061A-2.8-11</p>	<p>Green/Red:.N.gear Pink:1gear Blue/Red:2gear Green/Black:3gear Yellow/Red:4gear Yellow/White:5gear</p>	
<p>11.</p>	<p>Φ4Round head</p>	<p>Gray:6gear Brown and white: Vehicle self-inspection lamp</p>	
<p>12.</p>	 <p>端子 DJ621-E2.8*0.5 塑料件 DJ7031A-2.8-21</p>	<p>Yellow: positive pole of the sensor Green: the negative pole of the sensor Black/White: Sensor signal</p>	